



802 WD AIREX 2V

ATEX certified for zone 1, 2, 21, 22 air operated industrial vacuum cleaner



Request a free
quotation

Download the
catalogue





802 WD AIREX 2V

ATEX certified for zone 1, 2, 21, 22 air operated industrial vacuum cleaner

802 WD AIREX is an air compressed operated industrial vacuum ideal for suction of liquids in ATEX zones, where explosion-proof machinery is required, as the Directive 94/9/EC and 99/92/EC state. Suitable for mixed wet dry applications. 100% stainless steel construction. Maintenance free single or double Venturi suction unit. Integrated dry filter and wet filter kit with floating device.

ATEX certificated
zones 1, 2, 21, 22



Power	V	Aria compressa
Pression	bar	6
Compressed air supply	NI/min	3000
Internal diameter compressed air supply	mm	10
Depression	mmH2O	4180
Depression (continuous service)	mmH2O	4180
Range	m3/h	300
Surface	cm2	8000
Filtration class (primary filter)	(IEC 60335-2-69)	M
Filter surface (HEPA filter)	cm2	27000
Filtration class (HEPA filter)	(EN1822)	H14
Capacity	lt	80
Floating	-	SI
Suction inlet diameter	mm	80
Sound level	dB(A)	73
Dimensions	cm	62 X 53 X 100 h.
Weight	kg	31,55
ATEX Zone	(Directive 94/9/CE)	1, 2, 21, 22
Marking type	(Directive 94/9/CE)	II 2GD